

DEPARTMENT OF COMMUNITY DEVELOPMENT
BUILDING DIVISION
1825 STRAND WAY, CORONADO, CA 92118
(619) 522-7331 / (619) 522-2418 (FAX)
COMMDEV@CORONADO.CA.US

HANDOUT	DOOL/CDA ANTLE		
206	POOL/SPA ANTI-E	ENTRAPTION	V
JULY 2012			
,011 <u>2012</u>			
PURPOSE:	To ensure compliance with anti-entrapment requirements for pools and spas.		
AUTHORITY:	California Swimming Pool and Spa Safety Act of 2006 (California Assembly Bill 2977)		
NOTES:	 When a building permit is issued for the construction, remodel, or modification of a swimming pool, toddler pool, or spa, the permit shall require that the suction outlet(s) in the swimming pool, toddler pool, or spa be upgraded so as to be equipped with an anti-entrapment cover meeting the current standards of the American Society for Testing and Materials or the American Society of Mechanical Engineers (ASME/ANSI A112.19.8). Verification for the installation of the anti-entrapment cover(s) shall be accomplished prior to final approval. If the verification for the installation of the anti-entrapment cover(s) cannot be performed due to the water level in an existing swimming pool, toddler pool, or spa, the property owner or pool contractor must certify compliance to the requirement of the referenced California statute. 		
DATA:			
	1. Permit: Project Address:		
	2. Owner	Telephone #:	
	3. Installation Contractor:	License #:	Class:
	Telephone #:		
CERTIFICATION:			
I, as the Property Owner, Contractor, or as the duly authorized representative of the Owner or Contractor listed above certify that the suction outlet(s) of the existing swimming pool, toddler pool, or spa at the address listed above has been equipped with an anti-entrapment cover meeting the current standards of ASME/ANSI A112.19.8.			

Signature: ______ Printed name: _____